






Maintenance
















Sharing





Control Panel > Hardware and Sound > Devices and Printers

Search Devices and Printers

Add a device Add a printer See what's printing Print server properties Remove device

Windows can display enhanced device icons and information from the Internet. Click to change.

Devices (6)

- 802.11 n WLAN
- APARTERCI20
- DT 101 G2
- L20T-3 LED
- USB Keyboard
- USB OPTICAL MOUSE

Printers and Faxes (3)

- Fax
- Microsoft XPS Document Writer
- Xerox Phaser 3435 PS

Context menu for Xerox Phaser 3435 PS:

- Open
- Open in new window
- See what's printing
- Set as default printer
- Printing preferences
- Printer properties
 - Xerox Phaser 3435 PS
 - Xerox Phaser 3435 PCL 6
- Delete print queue
- Create shortcut
- Troubleshoot
- Remove device
- Properties

Xerox Phaser 3435 PS Status: Status: 0 document(s) in queue
Model: Xerox Phaser 3435 PS
Category: Printer

Taskbar: 11:35 1/11/11

Control Panel > Hardware and Sound > Devices and Printers

Search Devices and Printers

Add a device Add a printer See what's printing Print server properties Remove device

Windows can display enhanced device icons and information from the Internet. Click to change...

Devices (6)

802.11 b WLAN APPARTDPC120 DT 101 G2 L20T-3 LED USB Keyboard USB OPTICAL MOUSE

Printers and Faxes (3)

Fax Microsoft XPS Document Writer Xerox Phaser 3435 PS

Xerox Phaser 3435 PS Properties

Security Device Settings Troubleshooting

General Sharing Ports Advanced Color Management

If you share this printer, any user on your network can print to it. The printer will not be available when the computer sleeps. To change these settings, use the [Network and Sharing Center](#).

☒ Share this printer

Share name: Xerox Phaser 3435 PS

☒ Render print jobs on client computers

Drivers

If this printer is shared with users running different versions of Windows, you may want to install additional drivers, so that the users do not have to find the print driver when they connect to the shared printer.


Additional Drivers...

OK Cancel Apply

Xerox Phaser 3435 PS State:  Status: 0 document(s) in queue Model: Xerox Phaser 3435 PS Category: Printer


11:35 1/15/2011








Network





 Add Printer

Find a printer by name or TCP/IP address

☐ Browse for a printer


☒ Select a shared printer by name


Browse...

Example: \\computename\printername or
http://computename/printers/printername/.printer

☐ Add a printer using a TCP/IP address or hostname

Next Cancel









Control Panel Home

Manage wireless networks
Change adapter settings
Change advanced sharing settings

View your basic network information and set up connections [See full map](#)

APPARTDPCI20 (This computer) — Unidentified network — Internet

View your active networks [Connect or disconnect](#)

Unidentified network
Public network


Access type: Internet
Connections: Wireless Network Connection (AppAnd_WS)


Change your networking settings

- [Set up a new connection or network](#)
Set up a wireless, broadband, dial-up, ad-hoc, or VPN connection; or set up a router or access point.
- [Connect to a network](#)
Connect or reconnect to a wireless, wired, dial-up, or VPN network connection.
- [Choose homegroup and sharing options](#)
Access files and printers located on other network computers, or change sharing settings.
- [Troubleshoot problems](#)
Diagnose and repair network problems, or get troubleshooting information.

See also
HomeGroup
Internet Options
Windows Firewall

EN 11:50 7/10/17





Internet Protocol Version 4 (TCP/IPv4) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address:

Subnet mask:

Default gateway:

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server:

Alternate DNS server:

☐ Validate settings upon exit

Advanced...

OK Cancel

Internet Protocol Version 4 (TCP/IPv4) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address:

172 . 25 . 4 . 120

Subnet mask:

255 . 255 . 254 . 0

Default gateway:

172 . 25 . 5 . 254

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server:

193 . 227 . 50 . 19

Alternate DNS server:

172 . 16 . 0 . 2

☐ Validate settings upon exit

Advanced...

OK


Cancel




Proxy









Local Area Network (LAN) Settings

Automatic configuration

Automatic configuration may override manual settings. To ensure the use of manual settings, disable automatic configuration.

☒ Automatically detect settings

☐ Use automatic configuration script

Address:

Proxy server

☒ Use a proxy server for your LAN (These settings will not apply to dial-up or VPN connections).

Address: Port:

☒ Bypass proxy server for local addresses

Proxy Settings

Servers

Type	Proxy address to use	Port
HTTP:	mainproxy.du.edu.eg	8080
Secure:	mainproxy.du.edu.eg	8080
FTP:	mainproxy.du.edu.eg	8080
Socks:		

☒ Use the same proxy server for all protocols

Exceptions

Do not use proxy server for addresses beginning with:

.mans.edu.eg;.du.edu.eg;172.25.4.*

Use semicolons (;) to separate entries.

OK Cancel